

Adult Tobacco Survey 2

Winter 2001-02 Survey Results

Spokane County

First, I have some questions about your health. Would you say that in general your health is. . .

n = 642

Excellent	28.2%	(± 3.9%)
Very good	36.4	(± 4.3)
Good	24.4	(± 3.7)
Fair	9.0	(± 2.5)
Or poor	2.0	(± 1.0)

During the past 3 months, on how many days did you stay in bed for more than half the day because of illness or injury?

n = 642

None	79.3%	(± 3.4%)
One day	8.1	(± 2.3)
More than one day	12.5	(± 2.8)

About how long has it been since you last visited a DOCTOR for a routine checkup?

n = 636

Within the past year (1-12 months ago)	78.5%	(± 3.8%)
Within the past two years (1-2 years ago)	11.6	(± 3.1)
More than two years ago	9.8	(± 2.6)
Never	0.2	(± 0.4)

About how long has it been since you last visited a DENTIST for a routine checkup?

n = 635

Within the past year (1-12 months ago)	73.8%	(± 4.0%)
Within the past two years (1-2 years ago)	8.4	(± 2.7)
More than two years ago	17.1	(± 3.2)
Never	0.6	(± 1.0)

Next are a few questions about your health care coverage. Do you have any kind of health care coverage, including health insurance, prepaid plans such as an HMO, or government plans such as Medicare?

n = 643

Yes	85.7%	(± 3.4%)
No	14.3	(± 3.4)

* Estimates based on sample sizes less than 75 omitted

Among those with health care coverage:

What type of health coverage do you use to pay for most of your medical care? Is it coverage through. . .

n = 557

Your employer	48.7%	(± 4.6%)
Someone else's employer	14.5	(± 3.4)
A plan that you or someone buys on your own	10.3	(± 2.7)
Medicare	16.0	(± 3.3)
Medicaid or Medical Assistance	4.5	(± 1.9)
Other	6.1	(± 2.2)

Are you currently. . .

n = 641

Employed for wages	49.3%	(± 4.4%)
Self-employed	8.2	(± 2.8)
Out of work	8.0	(± 2.6)
Homemaker	7.7	(± 2.1)
Student	4.6	(± 2.0)
Retired	20.3	(± 3.3)
Or unable to work	1.8	(± 1.1)

Now, I would like to ask you some questions about your personal history of tobacco use. Have you, even once in your life, smoked a cigarette?

n = 644

Yes	71.5%	(± 4.0%)
No	28.5	(± 4.0)

Among those who ever smoked a cigarette:

How old were you when you first tried smoking cigarettes?

n = 456

average: 16.1 (± 0.6)

Have you smoked at least 100 cigarettes in your entire life? NOTE: 5 packs=100 cigarettes

n = 642

Yes	47.0%	(± 4.4%)
No	53.0	(± 4.4)

Among those who ever smoked 100 cigarettes and smoked regularly:

How old were you when you first started smoking cigarettes fairly regularly?

n = 279

average: 19.0 (± 0.7)

Among those who ever smoked 100 cigarettes:

Do you now smoke cigarettes every day, some days or not at all?

n = 304

Every day	36.1%	(± 6.1%)
Some days	7.5	(± 3.4)
Not at all	56.4	(± 6.3)

Among every day and some day smokers:

On average, about how many cigarettes per day do you smoke? NOTE: 1 PACK = 20 CIGARETTES

n = 123

15.4% (± 1.8%)

* Estimates based on sample sizes less than 75 omitted

Current cigarette smoking prevalence:	n = 642
(every day or some day smokers among the whole population)	20.5% (± 3.6%)

Among every day and some day smokers:

What brand of cigarette do you smoke most often?	n = 125
Camel	17.6% (± 7.7%)
Marlboro	27.4 (± 9.4)
Other	55.0 (± 10.0)

Among every day and some day smokers:

Is this brand menthol?	n = 120
Yes	16.0% (± 7.2%)
No	84.0 (± 7.2)

Among every day and some day smokers:

Are you currently smoking a brand with lower levels of nicotine or tar?	n = 125
Yes	48.1% (± 9.9%)
No	51.9 (± 9.9)

This next question asks about smokeless tobacco. Have you ever tried using smokeless tobacco, like chew, dip or snuff? IF NEEDED: Such as Copenhagen, Kodiak, Redman or Beechnut

	n = 644
Yes	22.9% (± 3.9%)
No	77.1% (± 3.9%)

Among those who ever used smokeless tobacco:

On how many of the past 30 days did you use smokeless tobacco products?	n = 128
Zero	90.7% (± 5.9%)
Less than 30	4.9 (± 4.2)
30 days	4.4 (± 4.4)

Current smokeless tobacco prevalence:

	n = 644
(any use in the past 30 days among the whole population)	2.1% (± 1.4%)

What about cigar smoking, including large cigars, cigarillos, and little cigars. How many cigars have you smoked in your life?

	n = 639
None	66.6% (± 4.1%)
One	6.6 (± 2.0)
2-5	9.5 (± 2.6)
6-20	7.9 (± 2.4)
More than 20	9.4 (± 2.4)

Among those who ever smoked a cigar:

On how many of the past 30 days did you smoke a cigar, even just a puff?	n = 214
Zero	96.2% (± 2.5%)
Less than 30	3.4 (± 2.4)
30 days	0.4 (± 0.7)

* Estimates based on sample sizes less than 75 omitted

Current cigar smoking prevalence:	n = 644
(any use in the past 30 days among the whole population)	1.3% (± 0.8%)

Have you ever tried smoking tobacco in a pipe?	n = 644
Yes	20.0% (± 3.4%)
No	80.0 (± 3.4)

Among those who ever smoked a pipe:	
On how many of the past 30 days did you smoke tobacco in a pipe?	n = 126
Zero	95.3% (± 4.6%)
Less than 30	3.1 (± 3.5)
30 days	1.6 (± 3.1)

Current pipe smoking prevalence:	n = 644
(any use in the past 30 days among the whole population)	0.9% (± 0.9%)

Have you ever tried smoking bidis (BEEDIES)?	n = 643
Yes	5.0% (± 1.9%)
No	95.0 (± 1.9)

Current bidi smoking prevalence:	n = 644
(any use in the past 30 days among the whole population)	0.2% (± 0.5%)

Have you ever tried smoking clove cigarettes?	n = 643
Yes	14.8% (± 3.1%)
No	85.2 (± 3.1)

Among those who ever smoked cloves:	
On how many of the past 30 days did you use clove cigarettes?	n = 93
Zero	97.8% (± 3.4%)
Less than 30	2.2 (± 3.4)
30 days	0.0 (± 0.0)

Current clove cigarette smoking prevalence:	n = 644
(any use in the past 30 days among the whole population)	0.3% (± 0.5%)

Current tobacco use prevalence:	n = 644
(Currently smokes cigarettes, cigars, pipes, bidis, or cloves OR uses smokeless tobacco among the whole population)	22.6% (± 3.7%)

Among former tobacco users:	
About how long has it been since you last used tobacco, that is, daily?	n = 177
Within the past year (0-12 months ago)	19.4% (± 6.9%)
Within the past 5 years (1-5 years ago)	18.0 (± 6.1)
Within the past 15 years (5-15 years ago)	20.5 (± 6.9)
Or 15 or more years ago	41.1 (± 7.9)
Never used regularly	1.0 (± 1.4)

* Estimates based on sample sizes less than 75 omitted

Among current tobacco users:

**About how much do you usually spend on tobacco products every week? IF
NEEDED: On average, in a typical week**

n = 135

Less than \$5	12.7%	(± 6.2%)
\$5-9	6.9	(± 4.4)
\$10-14	13.0	(± 7.5)
\$15-24	27.1	(± 8.0)
\$25-34	26.4	(± 8.6)
\$35-44	11.1	(± 5.8)
\$45 or more	2.8	(± 2.3)

Among current tobacco users:

In the past month, did you buy tobacco on a Native American reservation?

n = 138

Yes	8.0%	(± 4.9%)
No	92.0	(± 4.9)

Among current and former tobacco users:

These next questions ask about things that might make a person want to quit using tobacco. Do you agree or disagree with the following statement: People close to me were/are upset by my using tobacco. Do you. . .

n = 301

Strongly agree	39.2%	(± 6.1%)
Somewhat agree	23.1	(± 5.6)
Somewhat disagree	20.5	(± 5.1)
Or strongly disagree	17.2	(± 4.6)

Among current and former tobacco users:

Have any of your family or friends ever asked or advised you to quit using tobacco?

n = 307

Yes	67.6%	(± 5.7%)
No	32.4	(± 5.7)

Among current and former tobacco users who were ever advised to quit by family or friends:

When was the last time a family member or friend advised you to quit?

n = 198

Within the past year (1-12 months)	55.6%	(± 7.7%)
Within the past three years (1-3 years)	8.9	(± 4.3)
Or 3 or more years ago	35.5	(± 7.4)

Among current and former tobacco users:

Have any of the following health care professionals ever advised you to quit using tobacco. . . A doctor?

n = 302

Yes	58.0%	(± 6.2%)
No	42.0	(± 6.2)

* Estimates based on sample sizes less than 75 omitted

Among current and former tobacco users:

Have any of the following health care professionals ever advised you to quit using tobacco. . . A dentist?

n = 305

Yes	25.6%	(± 5.8%)
No	74.4	(± 5.8)

Among current and former tobacco users:

Have any of the following health care professionals ever advised you to quit using tobacco. . . A nurse?

n = 306

Yes	22.2%	(± 5.4%)
No	77.8	(± 5.4)

Among current and former tobacco users:

Have any of the following health care professionals ever advised you to quit using tobacco. . . Another health care provider?

n = 307

Yes	12.3%	(± 4.4%)
No	87.7	(± 4.4)

Among current and former tobacco users who were advised by a health care professional:

When was the last time a health care professional of any kind advised you to quit using tobacco?

n = 184

Within the past year (1-12 months)	48.4%	(± 8.1%)
Within the past three years (1-3 years)	14.5	(± 5.4)
Or 3 or more years ago	36.1	(± 7.8)
Never advised to quit by a health care professional	0.9	(± 1.1)

Among current and former tobacco users who were advised by a health care professional:

Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?

n = 182

Yes	35.3%	(± 7.7%)
No	64.7	(± 7.7)

Among current and former tobacco users:

How many times in your life have you seriously tried to quit using tobacco?

n = 300

0	10.1%	(± 3.9%)
1-2	44.0	(± 6.2)
3-5	31.4	(± 6.1)
6 or more	14.4	(± 4.3)

Among current tobacco users:

During the past year, did you not use tobacco for one day or longer because you were trying to quit?

n = 137

Yes	55.8%	(± 9.3%)
No	44.2	(± 9.3)

* Estimates based on sample sizes less than 75 omitted

Among current and former (quit within in past year) tobacco users who are employed:

Within the past year, has your employer offered any stop-smoking programs or other programs to help employees who want to quit using tobacco?

n = 76

Yes	14.7%	(± 8.5%)
No	85.3	(± 8.5)

Among current and former (quit within in past year) tobacco users with health insurance:

Does your health care insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills or other medications?

n = 133

Yes	26.3%	(± 8.0%)
No	40.6	(± 9.2)
Don't know/Not sure	33.0	(± 8.9)

Among current and former (quit within in past year) tobacco users:

Have you heard about the Washington State "Quit-Line - a telephone support service to help people quit using tobacco?

n = 162

Yes	29.7%	(± 7.9%)
No	70.3	(± 7.9)

Among current tobacco users:

Would you like to quit using tobacco?

n = 125

Yes	66.2%	(± 9.6%)
No	33.8	(± 9.6)

Among current tobacco users who would like to quit:

Are you seriously considering quitting tobacco use within the next 6 months?

n = 80

Yes	83.4%	(± 9.4%)
No	16.6	(± 9.4)

Among current tobacco users who would like to quit in the next 6 months:

Are you planning to stop within the next 30 days?

n = 64

Yes	*	*
No	*	*

Among current tobacco users:

Readiness to quit, from the "Stages of Change" model

n = 113

Precontemplative	48.2%	(± 10.4%)
Contemplative	23.4	(± 8.3)
Preparation	28.4	(± 9.4)

Next I have some questions about you. Remember that your responses are confidential. What is your age?

n = 644

18-29	22.5%	(± 4.0%)
30-49	38.9	(± 4.2)
50+	38.6	(± 4.2)

* Estimates based on sample sizes less than 75 omitted

I'm going to ask about your race and ethnicity. You can have more than one answer.

Are you. . . White?

n = 642

Yes	94.4%	(± 2.2%)
No	5.6	(± 2.2)

I'm going to ask about your race and ethnicity. You can have more than one answer.

Are you. . . Black?

n = 642

Yes	2.2%	(± 1.4%)
No	97.8	(± 1.4)

I'm going to ask about your race and ethnicity. You can have more than one answer.

Are you. . . Asian or Pacific Islander?

n = 642

Yes	3.2%	(± 2.0%)
No	96.8	(± 2.0)

I'm going to ask about your race and ethnicity. You can have more than one answer.

Are you. . . American Indian or Alaska Native?

n = 642

Yes	7.7%	(± 2.5%)
No	92.3	(± 2.5)

I'm going to ask about your race and ethnicity. You can have more than one answer.

Are you. . . Hispanic or Latino?

n = 642

Yes	3.3%	(± 1.8%)
No	96.7	(± 1.8)

Are you. . .

n = 641

Married	55.7%	(± 4.4%)
Divorced	11.6	(± 2.5)
Widowed	7.1	(± 1.8)
Separated	2.1	(± 1.1)
Never been married	20.1	(± 3.9)
Or a member of unmarried couple	3.3	(± 1.5)

How many children under the age of 18 live in your household?

n = 644

None	63.0%	(± 4.2%)
1	16.3	(± 3.4)
2	12.4	(± 2.8)
3 or more	8.3	(± 2.3)

What is the highest grade or year of school you completed?

n = 642

Some high school or less	6.9%	(± 2.3%)
Grade 12 (high school graduate or GED)	26.9	(± 4.1)
College 1-3 years (some college, technical school, community college AA)	34.4	(± 4.1)
College graduate (4 years) or beyond college	31.8	(± 4.0)

* Estimates based on sample sizes less than 75 omitted

Annual household income from all sources... IF NEEDED: Annual household income before taxes.

n = 555

\$20,000 or less	30.6%	(± 4.4%)
\$20,000 to less than \$50,000	39.5	(± 4.6)
\$75,000 or more	29.8	(± 4.4)

Gender

n = 644

Male	48.5%	(± 4.4%)
Female	51.5	(± 4.4)

How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?

n = 643

0	69.7%	(± 4.3%)
1	19.2	(± 3.7)
2	7.4	(± 2.4)
3 or more	3.8	(± 2.2)

On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?

n = 639

0 days	79.6%	(± 3.7%)
1-29 days	7.9	(± 2.4)
30 days	12.5	(± 3.1)

If it were just up to you, would you let people smoke inside your home?

n = 638

Yes	16.9%	(± 3.2%)
No	83.1	(± 3.2)

Among those who are employed for wages (excluding self-employed):

How many people are employed where you work? IF NEEDED: Facilities that share your same street address

n = 310

Less than 5	6.8%	(± 3.3%)
Between 5 and 9	8.5	(± 3.5)
Between 10 and 19	9.7	(± 3.7)
Between 20 and 99	29.7	(± 5.7)
Or 100 or more	45.3	(± 6.2)

Among those who are employed for wages (excluding self-employed):

When you are at work, do you spend most of your time in an. . .

n = 310

Office	47.4%	(± 6.2%)
Store	8.6	(± 3.4)
Restaurant	4.1	(± 2.5)
Warehouse or factory	8.1	(± 3.4)
Home	3.1	(± 2.0)
Outdoors	6.7	(± 3.2)
Car or truck	4.5	(± 3.2)
Classroom/school	7.2	(± 3.2)
Hospital	3.9	(± 2.3)
Or somewhere else (SPECIFY:)	6.4	(± 3.0)

* Estimates based on sample sizes less than 75 omitted

Among those who are employed for wages (excluding self-employed):

The next questions are about secondhand smoke in your work place. Does your workplace have official rules that restrict smoking in any way?

n = 313

Yes	86.6%	(± 4.3%)
No	13.4	(± 4.3)

Among those who are employed for wages (excluding self-employed):

Is smoking allowed in any of the following areas at your workplace. . . Some or all indoor work areas?

n = 313

Yes	7.4%	(± 3.4%)
No	92.6	(± 3.4)

Among those who are employed for wages (excluding self-employed):

Is smoking allowed in any of the following areas at your workplace. . . Employee lunchrooms or lounges?

n = 312

Yes	5.2%	(± 2.8%)
No	94.8	(± 2.8)

Among those who are employed for wages (excluding self-employed):

Is smoking allowed in any of the following areas at your workplace. . . A designated indoor smoking area?

n = 310

Yes	9.5%	(± 3.7%)
No	90.5	(± 3.7)

Among those who are employed for wages (excluding self-employed):

In a typical week, how many hours would you say that you are in a room or car with secondhand smoke while you are working?

n = 303

Less than one hour	89.0%	(± 4.4%)
1-10 hours	5.5	(± 3.4)
More than 10 hours	5.5	(± 3.0)

The next questions are about secondhand smoke. Secondhand smoke is smoke from someone else's cigarette, cigar or pipe. In general, would you say that breathing secondhand smoke is. . .

n = 639

Not at all annoying to you	12.2%	(± 2.9%)
A little bit annoying to you	8.4	(± 2.5)
Somewhat annoying to you	17.9	(± 3.1)
Or very annoying to you	61.6	(± 4.2)

Would you say that breathing secondhand smoke is. . .

n = 613

Not at all harmful	67.0%	(± 4.3%)
A little bit harmful	25.0	(± 4.0)
Somewhat harmful	4.7	(± 1.8)
Or very harmful	3.3	(± 1.6)

* Estimates based on sample sizes less than 75 omitted

Do you agree or disagree with the following statement: All people should be protected from secondhand smoke. Do you. . .

n = 631

Strongly agree	54.6%	(± 4.4%)
Somewhat agree	27.1	(± 4.0)
Somewhat disagree	11.8	(± 2.8)
Or strongly disagree	6.6	(± 2.3)

What about this statement: ALL CHILDREN should be protected from secondhand smoke. Do you. . .

n = 635

Strongly agree	85.7%	(± 3.2%)
Somewhat agree	8.6	(± 2.5)
Somewhat disagree	3.4	(± 1.6)
Or strongly disagree	2.3	(± 1.4)

Do you think that smoking should be completely banned in restaurants?

n = 642

Yes	68.3%	(± 4.1%)
No	28.5	(± 4.0)
Don't know/Not sure	3.2	(± 1.3)

If there were a total ban on smoking in restaurants, do you think you would eat out more often, less often, or would it make no difference?

n = 633

More often	21.6%	(± 3.5%)
Less often	9.5	(± 2.6)
Make no difference	68.9	(± 4.0)

Do you think that smoking should be completely banned in bars and lounges?

n = 638

Yes	27.9%	(± 3.8%)
No	58.8	(± 4.3)
Don't know/Not sure	13.3	(± 2.8)

If there were a total ban on smoking in bars, do you think you would go out more often, less often, or would it make no difference?

n = 628

More often	18.3%	(± 3.3%)
Less often	13.0	(± 3.0)
Makes no difference	68.7	(± 4.1)

The next questions ask for your opinion about things that happen in your community. Do you agree or disagree with this statement: Laws banning possession of tobacco products by minors (children under 18) have been enforced.

Do you. . .

n = 642

Strongly agree	25.7%	(± 3.9%)
Somewhat agree	30.5	(± 4.1)
Somewhat disagree	16.9	(± 3.2)
Or strongly disagree	15.5	(± 3.1)
Don't know/Not sure	11.5	(± 2.7)

* Estimates based on sample sizes less than 75 omitted

Generally speaking, how often do you see young people -- those under age 18 smoking in your community? Would you say. . .

n = 627

Daily or almost daily	55.1%	(± 4.4%)
Couple of times per week	22.0	(± 3.6)
2-4 times per month	10.1	(± 2.6)
Once a month or less	6.4	(± 2.0)
Or never	6.4	(± 2.0)

During the past year, did you, yourself, ever buy or give someone under the age of 18 tobacco products?

n = 642

Yes	1.6%	(± 1.1%)
No	98.4	(± 1.1)

Here is another statement: The city or town where I live has enough rules and laws to protect nonsmokers, including children, from secondhand smoke. Do you. . .

n = 641

Strongly agree	22.2%	(± 3.6%)
Somewhat agree	29.7	(± 4.0)
Somewhat disagree	19.3	(± 3.6)
Or strongly disagree	18.1	(± 3.5)
Don't know/Not sure	10.8	(± 2.6)

Have you seen or heard about any efforts or activities in your community or in schools to help reduce tobacco use among youth? IF NEEDED: This could include as part of your job

n = 642

Yes	59.5%	(± 4.3%)
No	36.5	(± 4.2)
Don't know/Not sure	3.9	(± 1.6)

Among those who have seen or heard of activities:

Have you participated in any efforts or activities in your community or in schools to help reduce tobacco use among youth? IF NEEDED: This could include as part of your job.

n = 384

Yes	24.2%	(± 5.1%)
No	75.8	(± 5.1)

Among those who have seen or heard of activities:

Some communities have organizations that specifically work on tobacco prevention activities. To your knowledge, has there been a local anti-tobacco or anti-smoking organization working in your community over the past few years?

n = 384

Yes	44.6%	(± 5.6%)
No	26.7	(± 5.0)
Don't know/Not sure	28.7	(± 5.1)

* Estimates based on sample sizes less than 75 omitted

The next questions ask for your opinion on some statements about the harm from tobacco use. Please tell me if you agree with this statement: A pregnant woman could hurt her baby if she smokes. Do you. . .

n = 626

Strongly agree	86.7%	(± 3.1%)
Somewhat agree	9.3	(± 2.6)
Somewhat disagree	1.8	(± 1.1)
Or strongly disagree	2.2	(± 1.5)

Here is another statement: It is safe to smoke for a year or two, as long as you quit after that. Do you. . .

n = 640

Strongly agree	5.8%	(± 2.0%)
Somewhat agree	9.6	(± 2.5)
Somewhat disagree	18.0	(± 3.3)
Or strongly disagree	62.1	(± 4.2)
Don't know/Not sure	4.4	(± 1.7)

There are so many things that cause cancer, tobacco use is not going to make any difference. Do you. . .

n = 628

Strongly agree	5.3%	(± 1.8%)
Somewhat agree	8.9	(± 2.7)
Somewhat disagree	12.7	(± 2.9)
Or strongly disagree	73.1	(± 3.9)

Some organizations are conducting campaigns to convince youth not to start using tobacco, and motivate adults to quit. During the past 30 days, how often have you seen commercials on TV about the dangers of tobacco use or about not smoking?

n = 641

Every day	31.1%	(± 4.1%)
Couple times per week	25.7	(± 3.8)
Once per week	6.6	(± 2.0)
Couple times per month	9.7	(± 2.4)
Maybe once	5.2	(± 2.0)
Never	16.4	(± 3.1)
Don't know/Not sure	5.3	(± 2.4)

Among current tobacco users who saw anti-tobacco TV ads:

Did the ad change your thinking about tobacco use to make you more in favor of quitting tobacco use, less in favor of quitting tobacco use, or did your thinking about tobacco use stay the same?

n = 116

More in favor	36.5%	(± 10.2%)
Less in favor	10.8	(± 6.6)
Stayed the same	52.7	(± 10.3)

* Estimates based on sample sizes less than 75 omitted

During the past 30 days, how often have you seen advertisements about the dangers of tobacco use or about not smoking on billboards, posters, or buses?

n = 640

Every day	17.5%	(± 3.4%)
Couple times per week	17.0	(± 3.4)
Once per week	6.3	(± 1.9)
Couple times per month	10.7	(± 2.6)
Maybe once	9.4	(± 2.9)
Never	33.1	(± 4.1)
Don't know/Not sure	6.0	(± 2.0)

Among those who have children and have seen anti-tobacco commercials:

Have you talked to your child about any of the anti-tobacco commercials or advertisements you have seen?

n = 169

Yes	57.0%	(± 8.2%)
No	43.0	(± 8.2)

Some tobacco companies make promotional items like clothing, hats, bags or other things with their brand on it. Would you ever use or wear something that has a tobacco company logo or picture on it?

n = 635

Yes	17.7%	(± 3.4%)
No	82.3	(± 3.4)

During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?

n = 635

Yes	19.5%	(± 3.4%)
No	80.5	(± 3.4)

How do you feel about this statement: Tobacco companies should have the same rights to advertise their products as other companies. Do you. . .

n = 606

Strongly agree	21.1%	(± 3.7%)
Somewhat agree	27.6	(± 4.1)
Somewhat disagree	18.2	(± 3.5)
Or strongly disagree	33.1	(± 4.2)

Among those with children ages 10-17 years old:

Have you told your child specifically that you do not want him or her to use tobacco?

n = 121

Yes	91.3%	(± 5.3%)
No	8.7	(± 5.3)

* Estimates based on sample sizes less than 75 omitted